

City of Minden

P.O. Box 239, 325 N. Colorado
Minden, Nebraska 68959

phone 308.832.1820
fax 308.832.1949
www.MindenNebraska.org



October 27, 2020

The City of Minden has hired Benson Tree Service to trim trees along Highway 10 / Brown Avenue from 8th Street to Lexington Street. A few trees will also need to be removed. The trimming specifications and trees to be removed are below. The trimming and removals will take place prior to March 31, 2021. Watch the City's Facebook page <https://www.facebook.com/CityofMindenNE> for when the project will start.

Trimming Specifications:

1. Trees to be trimmed to a minimum of 20' clearance over the curb line and Highway 10 / Brown Avenue
2. Trees to be trimmed to a minimum of 10' clearance over sidewalks along Highway 10 / Brown Avenue

Trees to be removed:

- | | |
|---------------------------------|---|
| 1. 244 N. Brown | All 4 trees along Brown Ave—1 Elm & 3 Maples |
| 2. 105 E 1 st Street | Small Ash along Brown Ave with double trunk |
| 3. 605 N Brown | Ash along 6 th Street |
| 4. 251 N Brown | Hackberry between sidewalk & street along Brown Ave |
| 5. 217 S Brown | Hackberry towards south end of property along Brown Ave |
| 6. 644 N Brown | Ash between sidewalk & street along Brown Ave |

The tree trimming and removals are being done in accordance with the Minden Municipal Code Chapter 90, Vegetation.

- **Sec. 90-48. - Care and removal.**
 - (a) The municipality shall have the right to plant, prune, maintain and remove street trees or park trees within the lines of all streets, alleys, avenues, lanes, squares and public grounds, as may be necessary to ensure public safety or to preserve or enhance the symmetry and beauty of such public grounds.
- **Sec. 90-50. - Obstruction; pruning; removal.**
 - (a) All trees and shrubs within the municipality shall be pruned or removed when such trees or shrubs obstruct the light from any street lamp, obstruct the visibility of any traffic control device or sign, obstruct the passage of pedestrians on sidewalks, interfere with municipal utilities, or obstruct the view of any street or alley intersection. The minimum clearance of any overhanging portion thereof shall be 16 feet over all streets and 8 feet over sidewalks.
- **Sec. 90-52. - Work ordered or done by the city.**
 - Written permission shall not be required for any tree, shrub or hedge planting, pruning, spraying, or removing ordered or done by the city; however, all such work shall be done in conformance with the requirements of this chapter.

Please call the City of Minden at (308) 832-1820 with questions. Thank you for your cooperation and understanding during this project.

City of Minden